

**J TAPE**<sup>TM</sup>

#TAPESMART

**PRODUCT  
BROCHURE**

[www.jtape.com](http://www.jtape.com)

#TAPESMART

PRODUCT	PAGE
Primeshield	03
Prime and Paint Foam Masking Tape	03
Advanced Foam Masking Tape	04
Smooth Edge Foam Masking Tape	04
No Edge Blending Tape	05
Flexi No Edge Blending Tape	05
Duo Masking Tape	06
Perforated Trim Masking Tape	06
Green Fine Line Masking Tape	07
Orange Fine Line Masking Tape	07
Customising Tape	08
Seam Sealing Tape	08
Premium Cloth Protection Tapes	09
Paint Control Tape	09
Parking Sensor Masking Discs	10
Clear Logo Tape	10
Wheel Repair Mask	10



## PRIMESHIELD

Primeshield is the smart solution for masking any gaps that require priming and in particular high-build priming. Applied in seconds, it prevents overspray getting inside a vehicle and provides a soft, feathered finish. Primeshield is estimated to be up to 20 times faster to prepare for spraying.

Part No.	Metric	Imperial
1015.1535	15mm x 35m	3/5" x 114'
1015.2225	22mm x 25m	7/8" x 81'

### FEATURES & BENEFITS

✓ Fast and efficient aperture masking	Dramatically reduces process time
✓ Seals and protects inside of vehicle	No unwanted primer overspray
✓ Precise fingertip adjustment	Even application of primer
✓ No primer build-up on panel edges	Leaves a feathered finish



Scan this QR code to learn more about this product on our website

### HOW TO

#### STEP 1

Apply the tape in the gap smaller side first. Locate the tape in the gap so that it sits in the central groove.



#### STEP 2

Push Primeshield further into the gap if required, to allow the primer to cover bare metal and filler areas ensuring seal is maintained.



#### STEP 3

Prime the desired areas and remove prior to color application while the primer is soft.



## PRIME AND PAINT FOAM MASKING TAPE

Prime & Paint Foam Masking Tape is the perfect solution that supports a three-stage process; primer sealer, color application and clear coat finish with one masking application. Prime & Paint Foam Masking Tape is the unique combination of two innovative products: Primeshield and Advanced Foam Masking Tape, providing the body-shop considerable time and material savings.

Part No.	Metric	Imperial
1016.3530	35mm x 30m	1 1/2" x 99'

### FEATURES & BENEFITS

✓ Unique patented 2 in 1 masking product	No need to de-mask and re-mask between sealing and painting
✓ Hidden adhesive	Prevents hard primer/ground coat edges
✓ Detachable Primeshield piece	One step process
✓ Paint absorbent	Helps to create a soft finish



Scan this QR code to learn more about this product on our website

### HOW TO

#### STEP 1

Apply product to the moving part where possible ensuring that the adhesive is hidden.

#### STEP 2

Leave the adhesive free portion extended from the edge. Close the aperture and adjust the foam into the required position.

#### STEP 3

For the A-Post application, apply the foam to the back of the wing/fender ensuring the adhesive is hidden. Close the door and adjust the foam into position.



Scan this QR code to learn more about this product on our website

## ADVANCED FOAM MASKING TAPE

Advanced Foam Masking Tape is an innovative alternative to standard, round, smooth-edge foam masking tapes. This tape is designed to mask all apertures to prevent the ingress of paint during spraying, providing a high-quality finish while saving time and money.

Part No.	Metric	Imperial
1011.2050	20mm x 50m	¾" x 165'

### FEATURES & BENEFITS

✓ One continuous length	No waste unlike competitor's products that can accidentally remove multiple length
✓ For use in all apertures, specifically designed for A, B and C posts	Suitable for all panel gaps
✓ Adjustable between coats	Creates a softer edge
✓ Temperature resistant 90°C/194°F	Suitable for low bake ovens
✓ Offset adhesive	Prevents paint and clear coat from bridging onto the adhesive
✓ Retains its shape to re-join	Perfect product positioning every time
✓ Used on fixed and moving part	More versatile than standard round foam tape

### HOW TO

#### STEP 1

Remove the product from the box and apply along the aperture, ensuring not to stretch the product, then apply pressure to the foam and close the door.



#### STEP 2

With your fingertips adjust the foam, pushing it back into the gap.



#### STEP 3

Paint the vehicle and stretch to remove, leaving no residue.



Scan this QR code to learn more about this product on our website

## SMOOTH EDGE FOAM MASKING TAPE

Smooth Edge Foam Masking Tape is ideal for use in door apertures, hood and trunk lid openings and other vehicle apertures. It is perfect for the sealing part of a painting operation and saves you time with no unwanted tape lines.

Part No.	Metric	Imperial
1013.1350	13mm x 50m	½" x 165'

### FEATURES & BENEFITS

✓ Fixes to the door, hood, trunk apertures	A fast efficient way to fill a gap
✓ Paint absorbent	Helps to create a soft finish
✓ Temperature resistant to 90°C/194°F	Suitable for low bake ovens
✓ 2 convenient sizes	For use on standard and commercial vehicles

### HOW TO

#### STEP 1

Remove from dispensing box working your way from one side to another.

#### STEP 2

Apply along the aperture ensuring not to stretch the product, then close the door.

#### STEP 3

Paint the vehicle and stretch to remove, leaving no residue.



Scan this QR code to learn more about this product on our website

## NO EDGE BLENDING TAPE

Non-stretch, No Edge Blending Tape is the smart solution for masking body lines, panel edges and rocker panels to create a seamless finish from new paintwork to old.

Part No.	Metric	Imperial
1012.2025	20mm x 25m	3/8" x 81'

### FEATURES & BENEFITS

✓ Feathered edge over long lengths	Consistent finish
✓ Seamless blending from old to new paintwork	Eliminates rework
✓ Temperature resistant to 160°C/320°F	Suitable for low bake ovens and infra-red drying systems
✓ Non-stretch	No unwanted elongation

### HOW TO

#### STEP 1

Remove the liner from the required length of No Edge Blending Tape.



#### STEP 2

Apply the tape along the swage line.



#### STEP 3

For best results, remove straight after the last clear coat has been applied, when wet.



Scan this QR code to learn more about this product on our website

## FLEXI NO EDGE BLENDING TAPE

Flexi No Edge Blending Tape is the innovative and unique solution for masking curved panel edges and rocker panels. It makes masking around corners a speedy process even on the tightest of turns. It is the most effective solution for masking fuel doors/filler cap and provides a feathered paint edge, eliminating rework.

Part No.	Metric	Imperial
1018.1525	15mm x 25m	5/8" x 81'

### FEATURES & BENEFITS

✓ Conforms around difficult areas without kinking	Suitable for blending where flexibility of the product is key
✓ Seamless blending from old to new paintwork	Eliminates rework
✓ Paint absorbent foam	No hard paint edges
✓ Temperature resistant to 90°C/194°F	Suitable for low bake ovens
✓ One size for every application	Ideal for any body repair scenario
✓ Gives feathered paint edge	No primer build-up

### HOW TO

#### STEP 1

Remove product starting from the top row in the box.



#### STEP 2

Choose required contour to blend to and apply directly to vehicle ensuring tape is not stretched.



#### STEP 3

For best results, remove straight after the last clear coat has been applied, when wet. Stretch the tape when de-masking to ensure clean removal.



## DUO MASKING TAPE

Duo Masking Tape is highly versatile and can be used to mask a wide variety of applications around the vehicle. Made from high quality materials, there is adhesive on both sides and a rigid edge allows the masking of individual panels. Its primary application is to mask weatherstrip along the top of the doors, creating a void when spraying cant rails and roof pillars with no adhesive exposure.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1150.7520	75mm x 20m	3" x 66'

### FEATURES & BENEFITS

✓ Creates a void when spraying cant rails/roof pillars	Eliminates need to mask weatherstrip
✓ 2:1 application around other panels, doors/hood/trunk/fender	Easy application
✓ Perforated sections for easy tear	No need for scissors or knives
✓ Seals and protects inside of vehicle	Prevents overspray
✓ Easy lifting tab	Easy removal

### HOW TO

#### STEP 1

Remove the liner from the narrow section of tape and stick it to the underside of the roof rail and repeat.



#### STEP 2

Apply pressure to the tape and then close the door.



#### STEP 3

Remove the film liner from the wide section of tape, pull down and mask off the weatherstrip.



## PERFORATED TRIM MASKING TAPE

Perforated Trim Masking Tape is a universal lifting tape which fits all parts of the car. Its paper construction allows it to absorb paint unlike the film versions. It's the quick, clean way to mask rubber and trims, ensuring a perfect finish every time.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1055.5010	50mm x 10m	2" x 33'

### FEATURES & BENEFITS

✓ Fits all parts of the car unlike competitor products	No need for different types of lifting products
✓ Perforated sections allow for easy tearing	No need for scissors or knives
✓ Easily fits around corners	Easy application even in difficult areas
✓ Temperature resistant to 160°C/320°F	Suitable for high bake ovens

### HOW TO

#### STEP 1

Tear perforations to desired size and use the plastic edge to slide behind weatherstrip.



#### STEP 2

Pull weatherstrip down with the plastic trim and overlay sections to go round tight corners.



#### STEP 3

Add pressure to secure.





## GREEN FINE LINE MASKING TAPE

Green Fine Line Masking Tape is perfect for intricate masking on multi-colored paint jobs. It is very flexible making it easy to curve on flat surfaces and shapes with tight contours. Temperature resistant up to 150°C/302°F for at least 45 minutes.

Part No.	Metric	Imperial
1105.01.555	1.5mm x 55m	1/16" x 180'
1105.0355	3mm x 55m	1/8" x 180'
1105.0655	6mm x 55m	1/4" x 180'
1105.1255	12mm x 55m	1/2" x 180'



Scan this QR code to learn more about this product on our website



## ORANGE FINE LINE MASKING TAPE

Orange Fine Line Masking Tape is thinner and more translucent than other fine line masking tapes making it ideal for seeing through to the painted surface. It is perfect for straight lines while also being highly flexible. Temperature resistant up to 150° C/302°F for at least 45 minutes.

Part No.	Metric	Imperial
1111.01.555	1.5mm x 55m	1/16" x 180'
1111.0355	3mm x 55m	1/8" x 180'
1111.0655	6mm x 55m	1/4" x 180'
1111.1255	12mm x 55m	1/2" x 180'



Scan this QR code to learn more about this product on our website



## CUSTOMISING TAPE

Customising Tape has been created for striping with extra flexibility in mind, allowing the user to mask the tightest of contours. By stripping out sections, a variety of stripe widths and shapes can be created. Made from our most flexible fine line tape, the 8 x 1.5mm (8 x 1/16") strips allows creativity and parallel pinstriping around curves and bends.

Part No.	Metric	Imperial
1119.1210	12mm x 10m	½" x 33'



Scan this QR code to learn more about this product on our website

### HOW TO


#### STEP 1

Mask the designated area where you want the pinstriping to appear.



#### STEP 2

Remove the sections of 1.5mm (1/16") material to create your custom sized pinstripes.



#### STEP 3

Paint desired color and demask to reveal perfect pinstripes.



## SEAM SEALING TAPE

Seam Sealing Tape has a flat profile and is used to replace or repair the seams on automotive door skins, flanges, tail gates, bonnet/hoods and general clinched areas. It has excellent resistance to solvents, chemicals, UV and heat, making the tape bond securely to a wide range of substrates. Once applied, the acrylic adhesive provides a permanent waterproof bond and seal and is ready for painting.

Other sizes available upon request.

Part No.	Metric	Imperial
2205.0910	9mm x 10m	¾" x 33'
2205.1210	12mm x 10m	1½" x 33'
2205.2210	22mm x 10m	7/8" x 33'



Scan this QR code to learn more about this product on our website



## PREMIUM CLOTH PROTECTION TAPES

Premium Cloth Protection Tapes are constructed from a polyethylene cloth laminate with 78 weaves per inch, twice as many as standard cloth gaffer-tape; this gives the tape considerable strength and allows the tape to be torn in both directions, giving the user a lot of flexibility. Premium Cloth Protection Tapes are waterproof, sand blast resistant, with a high-tack adhesive, but after use can be removed easily leaving no adhesive residue. Use to protect panels, windows, chrome door handles and trim.

Part No.	Color	Metric	Imperial
2203.5050	Black	50mm x 50m	2" x 165'



Scan this QR code to learn more about this product on our website



## PAINT CONTROL TAPE

Paint Control Tape is a chequered crepe masking tape that gives the paint sprayer the ability to monitor the optimum opacity of paint applied by viewing the paint coverage over the black and white squares.

Part No.	Metric	Imperial
1190.3884	38mm x 28m x 3 rolls	1.5" x 90' x 3 rolls



Scan this QR code to learn more about this product on our website



## PARKING SENSOR MASKING DISCS

Parking Sensor Masking Discs are the ideal solution for the protection of parking sensors and rubber gaskets during the repair process. Our adhesive cover protects the sensor throughout the repair process, preventing damage from sanding, painting and polishing.

Part No.	Metric	Imperial
4002.6017	18mm diameter x 60 discs	¾" diameter x 60 discs



Scan this QR code to learn more about this product on our website



## CLEAR LOGO TAPE

Clear Logo Tape is a double sided permanent carrier-free transfer adhesive designed specifically for re-applying logos, emblems and badges from all types of vehicles.

Part No.	Metric	Imperial
2210.5030	50mm x 300mm x10	2" x 12" x10



Scan this QR code to learn more about this product on our website



## WHEEL REPAIR MASK

Wheel Repair Mask is the most effective way to mask a tyre when spraying an alloy wheel. It saves considerable time and materials over traditional masking methods and is a SEMA Global Media Award Winner.

Part No.	Metric	Imperial
1095.1417	170cm x 170cm x 20	67" x 67" x 20



Scan this QR code to learn more about this product on our website



**JT**TAPE<sup>TM</sup>  
#TAPESMART

[www.jtape.com](http://www.jtape.com)

#TAPESMART

**JTAPE**<sup>TM</sup>

#TAPESMART

jtape\_official



@JTAPE



@jtapeltd



For more information call +44 (0)1625 618 185 or Email [info@jtape.com](mailto:info@jtape.com)

JTAPE Limited, Hulley Road, Macclesfield, Cheshire, United Kingdom SK10 2SF